State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-728

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1997 model-year Ford Motor Company Otto-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Gasoline

Engine Family	Engine <u>Liters</u>	Displacement (Cubic Inches)	Exhaust Emission Control Systems and Special Features
VFM7.0D8GARA (V7.0A)	7.0	(429)	Sequential Multiport Fuel Injection Exhaust Gas Recirculation Heated Oxygen Sensor Secondary Air Injection

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Total	Carbon	Nitrogen		
H <u>ydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>		
1.9	37.1	5.0		

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

Eng <u>ine Family</u>	Total	Carbon	Nitrogen
	Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>
VFM7.0D8GARA	1.6	25.1	3.8

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 57 day of March 1996.

R. B. Summerfield
Assistant Division Chief Mobile Source Division

E.O. # A-10-728

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY DUTY OTTO-CYCLE ENGINES

	Manufacturer <u>Ford Motor Company</u>			Engine Family VFM7.0D8GARA (V7.0A)			
	Displacement:	7.0L /	_Liter	429 /	Cubic	inches	
	Maximum Rated F	Power: <u>235</u> HP	@ <u>3600</u> RPM	ľ	Engine Co	nfiguration <u>V8</u>	
	Fuel Type(s): Dedicated Flex Fuel Dual-Fuel Gasoline_X_ Diesel M100						
		M85 CNG_	_ LNG LPG_	Other (specify)		
	Exhaust Control System and Special Features AIR, HO2S, EGR, SFI (Use abbreviations per SAE J1930 SEP91)						
	Engine Model	Rated HP @ RPM	Ign, System or PCM	Fuel System	EGR Valve	Catalyst	
	(Engine Code)			Part No. Part N -9F593-		-5E212-	
•	5-87H-R00	235 @ 3600	F5TF-AGA alt: F5TF-BCA	F0TE-DA	F3TE-FA	NONE	
	5-88H-R00	230 @ 3500	F5TF-AJA ait: F5TF-BDA	H	н	Ħ	
	5-87B-R00	216 @ 3200	F5TF-AFA alt: F5TF-BEA	н	н	н .	
	5-88B-R00	216 @ 3200	F5TF-AHA alt: F5TF-BFA	ч	H	н	

Comments: See 20.17.02.00-1 for abbreviations and 20.17.02.00-4 for evaporative emission family identification.

Engine Family: V7.0A

Issue Date: FEB 01 1996

Revised:

20.09.17.02 - 1